

This certificate is granted and awarded by the authority of the Nadcap Management Council to:

Seyer Industries

66 Patmos Court St. Peters, MO 63376 United States

This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in www.eAuditNet.com on the Qualified Manufacturers List (QML), to the revision in effect at the time of the audit for:

NonDestructive Testing

Certificate Number: 10019200861 Expiration Date: 31 May 2023 Accreditation Length: 24 Months

Merit

Merit

Merit

David L. Schutt, PhD President

Performance Review Institute (PRI) | 161 Thorn Hill Road | Warrendale, PA 15086-7527



SCOPE OF ACCREDITATION

NonDestructive Testing

Seyer Industries 66 Patmos Court St. Peters, MO 63376

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: www.eAuditNet.com - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

AC7114 Rev N - Nadcap Audit Criteria for NonDestructive Testing (NDT) Suppliers Accreditation (to be used on audits before 02 May 2021)

AC7114S Rev O - Nadcap Supplemental Audit Criteria for NonDestructive Testing (NDT) Auditees Accreditation Program (to be used on audits on/after 05 January 2020) S-U4 Lockheed Martin

AC7114/1 Rev M - Nadcap Audit Criteria for NonDestructive Testing Facility Penetrant Survey (to be used on audits before 02 May 2021)

AC7114/1S Rev N - Nadcap Supplemental Audit Criteria for NonDestructive Testing Facility Penetrant Survey (to be used on audits on/after 05 January 2020) S–U4 Lockheed Martin

AC7114/2 Rev M - Nadcap Audit Criteria for NonDestructive Testing Magnetic Particle Survey (to be used on audits before 02 May 2021)

AC7114/2S Rev N - Nadcap Supplemental Audit Criteria for NonDestructive Testing Magnetic Particle Survey (to be used on audits on/after 05 January 2020) S–U4 Lockheed Martin